



Formulator Shop Ltd
19 Aderibigbe Street, Ikate, Surulere,
Lagos.
NG
Email: info@theformulatorshop.com
Phone: +234 916 641 5213
Web: www.theformulatorshop.com

CERTIFICATE OF ANALYSIS

Fax: 86-29-88826142
Tel: 86-29-88826141

Product Name: Tranexamic
Acid Batch No.: DW20200311
Manufacture Date: Contact us
for current info

Expiry Date: 3 Years when properly stored

ITEMS	STANDARDS	RESULTS
Assay	99.0%~101.0%	99.7%
Appearance	White crystalline powder, odorless	Complies
Solution	Clear and colourless	Complies
Identification	RS	Complies
pH	7.0~8.0	7.3
Loss on drying	$\leq 0.5\%$	0.14%
Ignition residue	$\leq 0.1\%$	0.01%
Heavy Metal	$\leq 10\text{ppm}$	Complies
Arsenic (As)	$\leq 2\text{ppm}$	Complies
Cl	$\leq 0.014\%$	Complies
Related substances	Impurity with RRT1.1 $\leq 0.1\%$	0.01%
	Impurity with RRT1.2 $\leq 0.1\%$	0.01%
	Impurity with RRT1.5 $\leq 0.2\%$	0.10%
	Each other Impurity $\leq 0.1\%$	0.05%
	Total impurities $\leq 0.5\%$	0.17%
Conclusion: the test results conform to enterprise standards		

Storage : *In cool & dry place. Keep away from strong light and heat.*
Shelf life : *3 Years when properly stored.*

This report is not to be signed.
All data are as per our supplier.